



PERFORMANCE FOR YOUR GAME.

2020 PRODUCT CATALOG



900 • TOUR ENGINEERED SERIES



VOLATILITY TORQUE™

COVERSTOCK | S84 Response™ Pearl

FINISH | 1,500 Grit Polished

COLOR | Violet/Green/Silver

CORE | Volatility Asymmetric

FLARE POTENTIAL | 4-5"

WEIGHTS | 12 - 16 Lbs.

SKU | GVO



Use the Volatility Torque on fresh heavy oil conditions when maximum back end is desired.

	16	15	14	13	12
R.G.	2.48	2.49	2.51	2.57	2.59
DIFF	.050	.050	.050	.032	.029
INT DIFF	.014	.014	.014	.010	.008



800 • PRIME SERIES



ASPECT™

COVERSTOCK | S77 Response™ Solid

FINISH | 3,000 Abralon

COLOR | Orange/Blue/Gray

CORE | Reflector™ Symmetric

FLARE POTENTIAL | 4-5"

WEIGHTS | 12 - 16 Lbs.

SKU | GAS

The Aspect provides a great benchmark type reaction on medium-heavy oil. Expect a stable, strong reaction throughout the lane.

	16	15	14	13	12
R.G.	2.49	2.51	2.55	2.59	2.65
DIFF	.049	.048	.045	.045	.035



HONEY BADGER REVIVAL™

COVERSTOCK | S70™ Hybrid
FINISH | 1,500 Grit Polished
COLOR | Gold Pearl/Violet Solid
CORE | Grapnel 2.0™ Asymmetric
FLARE POTENTIAL | 4-5"
WEIGHTS | 12 - 16 Lbs.
SKU | GHV



The Honey Badger Revival will peel off the breakpoint on medium conditions.

	16	15	14	13	12
R.G.	2.53	2.54	2.55	2.57	2.59
DIFF	.045	.048	.047	.032	.029
INT DIFF	.013	.012	.012	.010	.008



600 • PREFERRED SERIES 

BOOST AFTERBURNER™

COVERSTOCK | S62™
FINISH | 1,500 Grit Polished
CORE | Ignition™ Symmetric
FLARE POTENTIAL | 3-4"
WEIGHTS | 12 - 16 Lbs.



COLOR | Purple Solid/Black Pearl
 SKU | GAU



COLOR | Blue Pearl/Black Solid
 SKU | GPC

The Boost series is taking a big step up in performance with a stronger S62™ coverstock providing greater overall hook.



	16	15	14	13	12
R.G.	2.53	2.55	2.58	2.63	2.65
DIFF	.040	.038	.035	.009	.011

900 GLOBAL™ CLEAR COAT POLY

	16	15	14
R.G.	2.68	2.69	2.69
DIFF	.006	.006	.006



SKU | GPC



Performance for YOUR Game.

SERIES	NAME	COVERSTOCK	15# R.G.	DIFF.	INT. DIFF
900	Volatility Torque™	S84 Response™	2.49	.050	.014
800	Aspect™	S77 Response™	2.51	.048	-
700	Honey Badger Revival™	S70™	2.54	.048	.012
600	Boost Afterburner™	S62™	2.55	.038	-
	900 Global™ Clear Coat Poly	S10™	2.69	.006	-

