

MATERIAL SAFETY DATA SHEET



Prepared in accordance with ISO 11014-1/ ANSI standard Z400.1-2004

-2004

Revision Date: 2/21/2011 MSDS No.: ND2200

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: 301 Superglue

Synonyms: Superglue

Use of the Substance/Preparation: Adhesive

Supplier:

ND Industries, Inc. 1893 Barrett Road Troy, Michigan 48084 Tel: (248) 288-0000 Fax: 248) 288-0022

Emergency Telephone Number:	24 hr. EMERGENCY CHEMTREC 1-800-424-9300
2.	HAZARDS IDENTIFICATION
EMERGENCY OVERVIEW- CAUTION:	Clear liquid, with sharp irritating odor. Cyanoacrylate adhesives are a very fast setting and strong adhesive. It bonds human tissue and skin in seconds. Avoid contact with skin and eyes. Avoid breathing vapors.
Principle Routes of Exposure:	Skin, eyes and inhalation.
POTENTIAL HEALTH EFFECTS:	
Eye Contact:	Irritating to eyes. Causes excessive tearing. Eyelids may bond.
Skin Contact:	Bonds to skin in seconds. May cause skin irritation. Cyanoacrylates have been reported to cause allergic reaction but due to rapid polymerization at the skin surface, an allergic response is rare. Cyanoacrylates generate heat during the cure process and, in rare instances; a large drop can burn the skin.
Inhalation:	Exposure to vapors above the established exposure limit results in respiratory irritation which may lead to difficulty breathing and tightness in the chest.
Ingestion:	Material is not harmful if ingested. Cyanoacrylates are almost impossible to swallow because they solidify in the mouth.
Carcinogenic Effects:	No data available on the product itself. Contains no known carcinogens.

Product Name: Superglue

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	EINECS Number	Weight %	EU Classification
Ethyl-2 Cyanoacrylate	7085-85-0	230-391-5	80-95	Xi: R36/37/38
Poly Methyl Methacrylate	9011-14-7	n/a	5-10	n/a
	4. FIKST /	AID MEASURES		
Skin Contact:	Soak ir	n warm water. Do	not pull skin apa	rt.
Eye Contact:	eyelasł		iter by covering th	nded closed, release ne eye with a wet
Inhalation:	Remove to fresh air. If symptoms persist, obtain medical attention.			
Ingestion:	Ingestic apply lo and pre apart. is almo solidifie	on is unlikely. If li ots of warm water essure from saliva Do not try to pull	and encourage r a inside the mouth the lips with direc wallow Cyanoaci the mouth. Saliv	lly stuck together maximum wetting n. Peel or roll lips et opposing action. It rylate. The adhesive /a will lift the
Notes to Physician:	Cyanoa adhesiv Experie	acrylate adhesive ve. It bonds hum	is a very fast set an tissue and ski hat accidents due	n in seconds. e to Cyanoacrylates

5. FIRE AND IGNITION INFORMATION

Flash Point Explosion Limits in Air – Upper (%): Explosion Limits in Air – Lower (%): OSHA Flammability Classification: Auto-ignition Temperature: Extinguishing Media:	150-200°F, Tag Closed Cup Not established. Not established. Combustible. Not established. Foam, Dry Chemical or Carbon Dioxide	
Special Protective Equipment for		
Firefighters:	Fire fighters should wear full turnout gear including self- contained breathing apparatus operated in positive pressure mode.	
Specific Hazards:	None.	
Hazardous Decomposition and/or		
Combustion Products:	Not established.	
Risk of Dust Explosion:	Not applicable.	
6. ACCIDENTAL RELEASE MEASURES		
Personal Precautions: Make	sure spill area is well ventilated. Use adequate personal	

Methods for Cleaning Up:	Do not use cloths for clean-up. Flood spilled material with water to
	polymerize. Cured material can be scraped up and disposed of as non-hazardous waste.

protective equipment.

	ND Industries, Inc.	Page 3 of 6
Product Name: Superglue	Product Code: 301	Revision Date: 2/21/2011
	7. HANDLING AND STORAG	E
Handling:	mist. Avoid contact with paper	and clothing. Avoid breathing vapor or goods or fabric. Contact with these ymerization which can generate smoke
Storage:	Store away from heat and dire Store inside in a dry location. I	ct sunlight to maximize shelf life. Keep container tightly closed.
8. EXP0	OSURE CONTROLS / PERSONAL	PROTECTION

EXPOSURE LIMITS

Exposure limits for those components with limits are stated below.

Ethyl-2 Cyanoacrylate:	US OSHA PEL: None USACGIH – TLV: 0.2 ppm TWA
Poly Methyl Methacrylate:	US OSHA PEL: None US ACGIH – TLV: None
PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit TLV: Threshold Limit Value TWA: Time Weighted Average US ACGIH: United States American Co	onference of Governmental Industrial Hygienists

US OSHA: United States Occupational Safety and Health Administration

ENGINEERING CONTROLS	Local exhaust ventilation is recommended to maintain vapor level below TLV.
PERSONAL PROTECTIVE EQUIPME	
Respiratory Protection:	Not applicable with good local exhaust. Use NIOSH approved respirator if there is a potential to exceed exposure limits.
Hand Protection:	Polyethylene or non reactive gloves. Do not use cotton, PVC, or wool.
Eye Protection:	Safety glasses or goggles with side shields.
Skin and Body Protection:	Wear chemical resistant clothing when potential for skin contact exists.
Other:	Eyewash and safety shower should be available for use in the immediate work area. Wash hands after using and before eating, drinking, smoking or using the lavatory.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear liq
Odor:	Sharp, ir
рН	Not appl
Vapor Pressure:	Less tha
Boiling Point/Range:	Greater
Melting Point/Range:	Not appl
Water Solubility:	Negligibl

Clear liquid. Sharp, irritating. Not applicable. Less than 0.2mm Hg @25°C Greater than 300°F Not applicable. Negligible, Polymerized by water.

Product Name: Supergl	lue Pr	oduct Code: 301	Revision Date: 2/21/2011
Specific Gravity: % Volatile (SCQAMD Me Evaporation Rate: Partition Coefficient (n-	,	Not applicable.	ms per liter, 2% (estimated)
	10. S	TABILITY AND REACTIVIT	Y
Stability: Hazardous Polymerizat Mechanical Sensitivity Conditions to Avoid:		water, amines, alkalis and Not applicable.	ization will occur in the presence of
Hazardous Decomposit Combustion Products:	ion and/or	Not established.	
	11. TOX	(ICOLOGICAL INFORMATI	ON
ACUTE TOXICITY			
Oral LD50: Inhalation LC50: Dermal LC50: Eye Irritation: Skin Irritation:	Acute oral LD50 >5000mg/kg (rat) (estimated). Not established. Acute dermal LD50> 2000 mg/kg (rabbit) (estimated). Not established. Not established.		
CHRONIC TOXICITY			
Carcinogenic Effects: Mutagenic Effects: Reproductive Toxicity: Sensitizing Effects: Synergistic Materials:	No data ava No data ava No data ava	ailable on the product itself. ailable on the product itself. ailable on the product itself. ailable on the product itself. ailable on the product itself.	
	12. EC	COLOGICAL INFORMATIO	N
Information given is based on data on the components and the toxicology of similar products.			
Aquatic Toxicity:	No data availat	le on the product itself.	

ND Industries, Inc.

Page 4 of 6

EVIRONMENTAL FATE

Mobility: Bioaccumulation: Persistence / Degradability: Distribution to Environmental Compartments: No data available on the product itself. No data available on the product itself. No data available on the product itself.

No data available on the product itself.

13. DISPOSAL CONSIDERATIONS

Disclaimer: Information in this section pertains to the product as shipped in its intended composition as described in Section 2 of this MSDS. Contamination or processing may change waste characteristics and requirements. Regulations may also apply to empty containers, liners or rinsate. State/provincial and local regulations may be different from federal regulations.

RCRA Classification (40 CFR 261): Dispose of in accordance with all local, state, and federal regulatory requirements.

14. TRANSPORTATION INFORMATION

CFR:

Proper shipping name:	Combustible liquid, n.o.s. (more than 450 liters)
Hazard class or division:	Combustible liquid (more than 450 liters)
Packing Group:	III
Identification number:	NA 1993 (More than 450 liters)
Exceptions:	Unrestricted under 450 liters
Marine pollutant:	No

15. REGULATORY INFORMATION

Hazard Classification

United States – OSHA (29 CFR 1910.1200): This product is considered hazardous under OSHA. Canada – WHMIS Classification (CPR, SOR/88-66): B.3, D.2.B

International Inventories All components of this product are listed on or exempt from the following inventories:

- (yes) Domestic Substances List (DSL)
- (yes) United States Toxic Substances Control Act (TSCA) Inventory

U.S. Federal Regulations

Clean Air Act amendments of 1990 (CAA, Section 11240: CFR 82): Contains no hazardous air pollutants.

Clean Water Act (CWA, 40 CFR 116): Contains no priority pollutants.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA, 40 CFR 302): None.

Superfund Amendments and Reauthorization Act, Title III (SARA): SARA Section 302 (40 CFR 355) Extremely Hazardous Substances: None.

SARA Section 311/312 (40 CFR 370) Hazard Category: Immediate health hazard, Delayed health hazard, Fire, Reactive

SARA Section 313 (40 CFR 372) Toxics Release Inventory: None.

U.S. State Regulations

California Proposition 65: None.

16. OTHER INFORMATION

HMIS Rating

HMIS Index: *- chronic, 0 – Minimal, 1 – slight, 2- moderate, 3 – serious, 4 –severe Health: 2 Flammability: 2 Physical Hazard: 1 ND Industries, Inc. Product Code: 301

Additional Contacts:

Prepared by:	ND Industries, Inc. – Safety, Health and Environmental Affaires
Revision Date:	2/21/2011
Previous Revision Date:	12/22/2008
Reasons for Revision:	Update to 16 part format.

Disclaimer:

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ™ Vibra-TITE is a trademark of ND Industries, Inc.