

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.09.2025

Version: 2 (replaces version 1)

Revision: 01.09.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** BOWLTECH LDX DYNA SLIDE
- **Article number:** 95840001
- **UFI:** RJR6-Q6C3-NW8D-VP AF
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Life cycle stages PW** Widespread use by professional workers
- **Sector of Use SU22** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Application of the substance / the mixture** Lubricant
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BOWLTECH INTERNATIONAL BV
Brieltjenspolder 42 - 4921 PJ Made - NL
Tel +31 (0) 16 2 68 20 00 - Fax +31 (0) 16 2 68 43 55
info@bowltech.nl
- **Further information obtainable from:**
BOWLTECH INTERNATIONAL BV:
Tel +31 (0) 16 2 68 20 00 - Fax +31 (0) 16 2 68 43 55
info@bowltech.nl
- **1.4 Emergency telephone number:**
Nederland: Nationaal Vergiften Informatie Centrum, Tel: 030 - 2748888
(Uitsluitend bestemd voor behandelend arts bij accidentele vergiftiging)
België: Antigifcentrum tel: 070245245

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008** The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.
EUH210 Safety data sheet available on request.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 107-98-2	1-methoxy-2-propanol	2.5-5%
EINECS: 203-539-1	Flam. Liq. 3, H226	
Index number: 603-064-00-3	STOT SE 3, H336	
Reg.nr.: 01-2119457435-35-xxxx		

(Contd. on page 2)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.09.2025

Version: 2 (replaces version 1)

Revision: 01.09.2025

Trade name: BOWLTECH LDX DYNA SLIDE

(Contd. of page 1)

CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: exempted 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1) Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317 ATE: LD50 oral: 450 mg/kg LC50 / 4 h inhalative: 0.21 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.036 %	0.01%
CAS: 55965-84-9 EC number: 911-418-6 Index number: 613-167-00-5	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330 Skin Corr. 1C, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	0.0003%
CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50 / 4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	0.0002%

· **Additional Information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:**

Use fire extinguishing methods suitable to surrounding conditions.

Carbon dioxide

Dry sand

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

EU

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.09.2025

Version: 2 (replaces version 1)

Revision: 01.09.2025

Trade name: **BOWLTECH LDX DYNA SLIDE**

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: No special measures required.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Absorb liquid components with liquid-binding material.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Open and handle receptacle with care.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

· 7.3 Specific end use(s) See exposure scenario

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 107-98-2 1-methoxy-2-propanol

IOELV Short-term value: 568 mg/m³, 150 ppmLong-term value: 375 mg/m³, 100 ppm

Skin

· DNELs

CAS: 107-98-2 1-methoxy-2-propanol

Oral	DNEL Long term-systemic	3.3 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	18.1 mg/kg human/day (consumer)
		50.6 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m ³	43.9 mg/m ³ (consumer)
		369 mg/m ³ (worker)
	DNEL Acute-local mg/m ³	553.5 mg/m ³ (worker)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

Dermal	DNEL Long term-systemic	0.345 mg/kg human/day (consumer)
		0.966 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m ³	1.2 mg/m ³ (consumer)
		6.81 mg/m ³ (worker)

· PNECs

CAS: 107-98-2 1-methoxy-2-propanol

PNEC Freshwater mg/L	10 mg/L
PNEC Freshwater sediment	41.6 mg/Kg
PNEC Marine water sediment	4.17 mg/Kg
PNEC Soil	2.47 mg/Kg
PNEC Sewage treatment Plant mg/L	100 mg/L

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

PNEC Freshwater µg/L	4.03 µg/L (-)
----------------------	---------------

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.09.2025

Version: 2 (replaces version 1)

Revision: 01.09.2025

Trade name: **BOWLTECH LDX DYNA SLIDE**

(Contd. of page 3)

PNEC Marinewater µg/L	0.403 µg/L (-)
PNEC Freshwater sediment	0.0499 mg/Kg (-)
PNEC Marine water sediment	0.0049 mg/Kg (-)
PNEC Soil	3 mg/Kg (-)
PNEC Sewage treatment Plant mg/L	1.03 mg/L (-)

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Do not eat, drink, smoke or sniff while working.

Avoid contact with the eyes and skin.

· **Respiratory protection:** Not necessary for normal use

· **Hand protection** Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Eye/face protection** Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· **General Information**

· **Physical state**

Liquid

· **Colour:**

According to product specification

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Not available. Reason for lack of data: Not relevant for product characterisation

· **Boiling point or initial boiling point and boiling range**

100 °C (CAS: 7732-18-5 Water)

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable.

· **Decomposition temperature:**

Not defined. Reason for lack of data: Not relevant for product characterisation

· **pH at 20 °C**

7.5

· **Viscosity:**

· **Kinematic viscosity**

Not available. Reason for lack of data: Not relevant for product characterisation

· **Dynamic:**

Not available. Reason for lack of data: Not relevant for product characterisation

· **Solubility**

· **water:**

Fully miscible.

· **Partition coefficient n-octanol/water (log value)**

Not applicable. Reason for lack of data: The product is a mixture.
23 hPa (CAS: 7732-18-5 Water)

· **Vapour pressure at 20 °C:**

· **Density and/or relative density**

· **Density at 20 °C:**

1 g/cm³

· **Relative density**

Not available Reason for lack of data: Not relevant for product characterisation

· **Vapour density**

Not determined.

· 9.2 Other information

No further relevant information available.

· **Appearance:**

· **Form:**

Fluid

(Contd. on page 5)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.09.2025

Version: 2 (replaces version 1)

Revision: 01.09.2025

Trade name: **BOWLTECH LDX DYNA SLIDE**

(Contd. of page 4)

· **Important information on protection of health and environment, and on safety.**

· **Ignition temperature:**

Product is not selfigniting.

· **Explosive properties:**

Product does not present an explosion hazard.

Not determined.

· **Solvent content:**· **Organic solvents:**

3.6 %

· **Swiss VOC:**

3.59 %

· **Solids content:**

0.0 %

· **Change in condition**· **Evaporation rate**

Not determined.

· **Information with regard to physical hazard classes**

· **Explosives**

Void

· **Flammable gases**

Void

· **Aerosols**

Void

· **Oxidising gases**

Void

· **Gases under pressure**

Void

· **Flammable liquids**

Void

· **Flammable solids**

Void

· **Self-reactive substances and mixtures**

Void

· **Pyrophoric liquids**

Void

· **Pyrophoric solids**

Void

· **Self-heating substances and mixtures**

Void

· **Substances and mixtures, which emit flammable gases in contact with water**

Void

· **Oxidising liquids**

Void

· **Oxidising solids**

Void

· **Organic peroxides**

Void

· **Corrosive to metals**

Void

· **Desensitised explosives**

Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.· **10.2 Chemical stability**· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.· **10.3 Possibility of hazardous reactions** No dangerous reactions known.· **10.4 Conditions to avoid** No further relevant information available.· **10.5 Incompatible materials:** No further relevant information available.· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

CAS: 107-98-2 1-methoxy-2-propanol

Oral	LD50	4,016 mg/kg (Rat)
Dermal	LD50	2,000 mg/kg (rabbit)
Inhalative	LC50 / 4 h	27,596 mg/l (Rat)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral	LD50	450 mg/kg (ATE)
		450 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50 / 4 h	0.21 mg/l (ATE)
	LD50	0.21 mg/kg (Rat) (STA)

CAS: 55965-84-9 Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Oral	LD50	64 mg/kg (Rat)
Dermal	LD50	87.12 mg/kg (Rat)

(Contd. on page 6)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.09.2025

Version: 2 (replaces version 1)

Revision: 01.09.2025

Trade name: BOWLTECH LDX DYNA SLIDE

(Contd. of page 5)

Inhalative	LC50 / 4 h	0.33 mg/l (Rat)
CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one		
Oral	LD50	125 mg/kg (ATE)
Dermal	LD50	311 mg/kg (ATE)
Inhalative	LC50 / 4 h	0.27 mg/l (ATE)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- **Aquatic toxicity:**

CAS: 107-98-2 1-methoxy-2-propanol

LC50 / 96 h (static)	6,812 mg/ltr (Leuciscus idus)
EC 50 / 48 h (static)	23,300 mg/ltr (Daphnia magna (water flea))

CAS: 55965-84-9 Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

LC50 / 96 h	0.28 mg/ltr (Lepomus gobbosus (Zonnebaars))
	0.19 mg/ltr (Oncorhynchus mykiss (Rainbow trout))
EC 50 / 48 h	0.16 mg/ltr (Daphnia magna (water flea))
EC 50 / 72 H	0.01 (algae)
	mg/l

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Disposal must be made according to official regulations
- **Uncleaned packaging:**
- **Recommendation:**
- Disposal in accordance with administrative provisions
- Dispose of packaging according to regulations on the disposal of packagings.

EU

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.09.2025

Version: 2 (replaces version 1)

Revision: 01.09.2025

Trade name: **BOWLTECH LDX DYNA SLIDE**

(Contd. of page 6)

SECTION 14: Transport information

- | | |
|--|-----------------|
| · 14.1 UN number or ID number | Void |
| · ADR, IMDG, IATA | |
| · 14.2 UN proper shipping name | Void |
| · ADR, IMDG, IATA | |
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 Reg. (EC) n. 1272/2008 - CLP;
 Reg. (EC) n. 2020/878 annex II of REACH;
 Dir. 06/08 ADR – RID - IMDG - IATA;
 Dir. 12/18 (Seveso III);
 Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

National regulations - UK:

Regulation (EC) No 1272/2008 (CLP) amended by GB CLP (UK SI 2019/720 as amended).
 REACH Regulation (EC) No 1907/2006, amended by UK REACH (UK SI 2019/758 as amended).
 Health and Safety at Work Act
 The Control of Substances Hazardous to Health (COSHH) Regulations
 UK Waste (Circular Economy) (Amendment) Regulations 2020

- Labelling according to Regulation (EC) No 1272/2008 Void
 · Hazard pictograms Void
 · Signal word Void
 · Hazard statements Void
 · Directive 2012/18/EU
 · Named dangerous substances - ANNEX I None of the ingredients is listed.

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148

- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 8)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.09.2025

Version: 2 (replaces version 1)

Revision: 01.09.2025

Trade name: BOWLTECH LDX DYNA SLIDE

(Contd. of page 7)

· **National regulations:**· **Technical instructions (air):**

Class	Share in %
NK	3.6

· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H226 Flammable liquid and vapour.
 H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H310 Fatal in contact with skin.
 H311 Toxic in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H330 Fatal if inhaled.
 H336 May cause drowsiness or dizziness.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH071 Corrosive to the respiratory tract.

· **Classification according to Regulation (EC) No 1272/2008** Calculation method· **Date of previous version:** 07.11.2022· **Version number of previous version:** 1· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 WELL: The highest acceptable concentration
 IOELV: Indicative occupational exposure limit values
 Flam. Liq. 3: Flammable liquids – Category 3
 Acute Tox. 3: Acute toxicity – Category 3
 Acute Tox. 4: Acute toxicity – Category 4
 Acute Tox. 2: Acute toxicity – Category 2
 Skin Corr. 1: Skin corrosion/irritation – Category 1
 Skin Corr. 1C: Skin corrosion/irritation – Category 1C
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Skin Sens. 1A: Skin sensitisation – Category 1A
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· *** Data compared to the previous version altered.**

EU

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.09.2025

Version: 2 (replaces version 1)

Revision: 01.09.2025

Trade name: **BOWLTECH LDX DYNA SLIDE**

(Contd. of page 8)

Annex: Exposure scenario

- **Short title of the exposure scenario** For the finished product.
- **Sector of Use** SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Used amount per time or activity** According to directions for use.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** No special measures required.
- **Other operational conditions affecting consumer exposure during the use of the product** Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** No special measures required.
- **Personal protective measures** Do not inhale gases / fumes / aerosols.
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Water** No special measures required.
- **Disposal measures** Disposal in accordance with administrative provisions
- **Disposal procedures** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

EU